

SERENELLA ANZILOTTI

Publicazioni su riviste a diffusione internazionale

1. **Anzilotti S**, Fusco FR, Giampà C, Dato C, Laurenti D, Leuti A, Colucci D'Amato L, Perrone L, Bernardi G, Melone MA. "Changes in the expression of extracellular regulated kinase (ERK 1/2) in the R6/2 mouse model of Huntington's disease after phosphodiesterase IV inhibition." *Neurobiology of Disease* 2012 Apr;46(1):225-33 IF: 5,99 (numero citazioni: 22)

2. **Anzilotti S**, Giampà C, Laurenti D, Perrone L, Bernardi G, Melone MA, Fusco FR. "Immunohistochemical localization of receptor for advanced glycation end (RAGE) products in the R6/2 mouse model of Huntington's disease." *Brain Res Bull.* 2012 Feb 10;87(2-3):350-8 IF: 4.07 (numero di citazioni 24)

3. **Anzilotti S**, Tornincasa M, Gerlini R, Conte A, Brancaccio P, Cuomo O, Bianco G, Fusco A, Annunziato L, Pignataro G, Pierantoni GM. Genetic ablation of homeodomain interacting proteine kinase 2 (HIPK2) selectively induces apoptosis of cerebellar Purkinje cells during adulthood and generates an ataxic like phenotype. *Cell death and disease* Dec 3;6:e2004 IF: 8.46 (numero di citazioni 13)

4. **S. Anzilotti**, S. Gargiulo, A. R. D. Coda, M. Gramanzini, A. Greco, M. Panico, A. Vinciguerra, A. Zannetti, C. Vicidomini, F. Dollé, G. Pignataro, M. Quarantelli, L. Annunziato, A. Brunetti, M. Salvatore, S. Pappatà. S. Anzilotti and S. Gargiulo contributed equally to this work. Imaging of brain TSPO expression in a mouse model of amyotrophic lateral sclerosis with 18FDPA-714 and micro-PET/CT. *Eur J Nucl Med Mol Imaging* 2016 Jul;43(7):1348- 59. IF: 9.23 (numero di citazioni 22)

5. **Anzilotti S**, Brancaccio P, Simeone G, Valsecchi V, Vinciguerra A, Secondo A, Petrozziello T, Guida N, Sirabella R, Cuomo O, Cepparulo P, Herchuelz A, Amoroso S, Di Renzo G, Annunziato L, Pignataro G. Preconditioning, induced by sub-toxic dose of the neurotoxin L-BMAA, delays ALS progression in mice and prevents Na⁺/Ca²⁺ exchanger 3 downregulation. *Cell Death Dis.* 2018 Feb 12;9(2):206. IF: 8.46 (numero citazioni14)

6. Cerullo P*, Brancaccio P*, **Anzilotti S**, Vinciguerra A, Cuomo O, Fiorino F, Severino B, Di Vaio P, Di Renzo G, Annunziato L, Pignataro G. *contributed equally to this work. Acute and long-term NCX activation reduces brain injury and restores behavioral functions in mice subjected to neonatal brain ischemia. *Neuropharmacology.* 2018 Jun;135:180-191. IF: 5.25 (numero di citazioni 10)

7. Natale S, **Anzilotti S**, Petrozziello T, Ciccone R, Serani A, Calabrese L, Severino B, Frecentese F, Secondo A, Pannaccione A, Fiorino F, Cuomo O, Vinciguerra A, D'Esposito L, Sadile AG, Cabib S, Di Renzo G, Annunziato L, Molinaro P. Genetic Up-Regulation or Pharmacological Activation of the Na⁺/Ca²⁺ Exchanger 1 (NCX1)

Enhances Hippocampal-Dependent Contextual and Spatial Learning and Memory. *Mol Neurobiol* 2020 May;57(5):2358-2376. IF 5.59 (numero di citazioni 3)

8. O. Cuomo* P. Cepparulo* **S. Anzilotti** A. Serani R. Sirabella P. Brancaccio N. Guida V. Valsecchi A. Vinciguerra P. Molinaro L. Formisano L. Annunziato G. Pignataro. AntimiR-223-5p ameliorates ischemic damage and improves neurological function by preventing NCKX2 downregulation after ischemia in rats. 2019 Nov S2162-2531(19)30332-4 *Molecular Therapy: Nucleic Acid* IF 8.88*contributed equally to this work (numero di citazioni 8)

9. Valsecchi V, **Anzilotti S**, Serani A, Laudati G, Brancaccio P, Guida N, Cuomo O, Pignataro G, Annunziato L. miR-206 Reduces the Severity of Motor Neuron Degeneration in the Facial Nuclei of the Brainstem in a Mouse Model of SMA. *Mol Ther.* 2020 Apr 8;28(4):1154-1166. IF 11.45 (numero di citazioni 10)

10. **Anzilotti S***, Coda AR*, Boscia F, Greco A, Panico M, Gargiulo S, Gramanzini M, Zannetti A, Albanese S, Pignataro G, Annunziato L, Salvatore M, Brunetti A, De Berardinis P, Quarantelli M, Palma G, Pappatà S. In vivo imaging of CNS microglial activation/macrophage infiltration with combined [18F]DPA-714-PET and SPIO-MRI in a mouse model of relapsing remitting experimental autoimmune encephalomyelitis. *Eur J Nucl Med Mol Imaging.* 2020 May 7 IF 9.23 *contributed equally to this work (numero di citazioni 4)

11. Vinciguerra A*, Cepparulo P*, **Anzilotti S**, Cuomo O, Valsecchi V, Amoroso S, Annunziato L, Pignataro G. Remote postconditioning ameliorates stroke damage by preventing let-7a and miR-143 up-regulation. *Theranostics.* 2020 Oct 27;10(26):12174-12188. IF 11.55 *contributed equally to this work (numero di citazioni 2)

12. **Anzilotti S**, Valsecchi V, Brancaccio P, Guida N, Laudati G, Tedeschi V, Petrozziello T, Frecentese F, Magli E, Hassler B, Cuomo O, Formisano L, Secondo A, Annunziato L, Pignataro G. Prolonged NCX activation prevents SOD1 accumulation, reduces neuroinflammation, ameliorates motor behavior and prolongs survival in a ALS mouse model. *Neurobiol Dis.* 2021 Nov;159:105480. IF 5.99 (numero di citazioni 0)

13. Giampà C, Laurenti D, **Anzilotti S**, Bernardi G, Menniti FS, Fusco FR "Inhibition of the striatal specific phosphodiesterase PDE10A ameliorates striatal and cortical pathology in R6/2 mouse model of Huntington's disease." *PLoS One.* 2010 Oct 15;5(10):e13417 IF: 3.24

14. Leuti A, Laurenti D, Giampà C, Montagna E, Dato C, **Anzilotti S**, Melone MA, Bernardi G, Fusco FR. Phosphodiesterase 10A (PDE10A) localization in the R6/2

mouse model of Huntington's disease. *Neurobiology of Disease*. 2013 Apr;52:104-16. IF 5,99

15. Pignataro G, Sirabella R, **Anzilotti S**, Di Renzo G, Annunziato L “Does Na⁺/Ca²⁺ exchanger, NCX, represent a new druggable target in stroke intervention? *Transl Stroke Res*. 2014 Feb;5(1):145-55 IF: 6.82

16. Cantarella G, Pignataro G, Di Benedetto G, **Anzilotti S**, Vinciguerra A, Cuomo O, Di Renzo GF, Parenti C, Annunziato L, Bernardini R. Ischemic tolerance modulates TRAIL expression and its receptors and generates a neuroprotected phenotype. *Cell Death Dis*. 2014 Jul 17;5:e1331 IF: 8.46

17. Secondo A, Pignataro G, Ambrosino P, Pannaccione A, Molinaro P, Boscia F1, Cantile M, Cuomo O, Esposito A, Sisalli MJ, Scorziello A, Guida N, **Anzilotti S**, Fiorino F, Severino B, Santagada V, Caliendo G, Di Renzo G1, Annunziato L1. Pharmacological Characterization of the Newly Synthesized 5-Amino-N-butyl-2- (4-ethoxyphenoxy)-benzamide Hydrochloride (BED) as a Potent NCX3 Inhibitor That Worsens Anoxic Injury in Cortical Neurons, Organotypic Hippocampal Cultures, and Ischemic Brain. *ACS Chem Neurosci*. 2015 Aug 19;6(8):1361-70 IF: 4,41

18. Pignataro G, Ziaco B, Tortiglione A, Gala R, Cuomo O, Vinciguerra A, Lapi D, Mastantuono T, **Anzilotti S**, D'Andrea LD, Pedone C, di Renzo G, Annunziato L, Cataldi M. Neuroprotective Effect of VEGF-Mimetic Peptide QK in Experimental Brain Ischemia Induced in Rat by Middle Cerebral Artery Occlusion. *ACS Chem Neurosci*. 2015 Sep 16;6(9):1517-25 IF: 4,41

19. Guida N, Laudati G, **Anzilotti S**, Secondo A, Montuori P, Di Renzo G, Canzoniero LM, Formisano L. Resveratrol via sirtuin-1 downregulates RE1- silencing transcription factor (REST) expression preventing PCB-95-induced neuronal cell death. *Toxicol Appl Pharmacol*. 2015 Nov 1;288(3):387-98. IF: 4,21

20. Cuomo O, Vinciguerra A, Cerullo P, **Anzilotti S**, Brancaccio P, Bilo L, Scorziello A, Molinaro P, Di Renzo G, Pignataro G. Ionic homeostasis in brain conditioning. *Front Neurosci*. 2015 Aug 10;9:277 IF: 4,67

21. Guida N, Laudati G, **Anzilotti S**, Sirabella R, Cuomo O, Brancaccio P, Santopaolo M, Galgani M, Montuori P, Di Renzo G, Canzoniero LM, Formisano L. Methylmercury upregulates RE-1 silencing transcription factor (REST) in SHSY5Y cells and mouse cerebellum. *Neurotoxicology*. Jan;52:89-97. IF: 4.29

22. Ornella Cuomo, Giuseppe Pignataro, Rossana Sirabella, Pasquale Molinaro, **Serenella Anzilotti**, Antonella Scorziello, Maria Josè Sisalli, Gianfranco Di Renzo, Lucio Annunziato. Sumoylation of lys590 of NCX3 f-loop by SUMO1 participates in

brain neuroprotection induced by ischemic preconditioning. *Stroke* 2016 Apr;47(4):1085-93. IF 7.91

23. Guida N, Laudati G, Mascolo L, Cuomo O, **Anzilotti S**, Sirabella R, Santopaolo M, Galgani M, Montuori P, Di Renzo G, Canzoniero LM, Formisano L. MC1568 Inhibits Thimerosal-Induced Apoptotic Cell Death by Preventing HDAC4 UpRegulation in Neuronal Cells and in Rat Prefrontal Cortex. *Toxicol Sci.* 2016 Dec;154(2):227-240. IF: 4.84

24. Sanguigno L, Casamassa A, Funel N, Minale M, Riccio R, Riccio S, Boscia F, Brancaccio P, Pollina LE, **Anzilotti S**, Di Renzo G, Cuomo O. Triticum vulgare extract exerts an anti-inflammatory action in two in vitro models of inflammation in microglial cells. *PLoS One.* 2018 Jun 14;13(6):e0197493. IF 3.24

25. Sirabella R*, Valsecchi V*, **Anzilotti S**, Cuomo O, Vinciguerra A, Cepparulo P, Brancaccio P, Guida N, Blondeau N, Canzoniero LM, Franco C, Amoroso S, Annunziato L, Pignataro G. Ionic homeostasis maintenance in ALS: focus on new therapeutic targets. *contributed equally to this work. *Frontiers in Neuroscience.* *Front Neurosci.* 2018 Aug 7;12:510. IF 4.67

26. Vinciguerra A, Cuomo O, Cepparulo P, **Anzilotti S**, Brancaccio P, Sirabella R, Guida N, Annunziato L, Pignataro G. Models and methods for conditioning the ischemic brain. *J Neurosci Methods.* 2018 Oct 1. pii: S0165-0270(18)30296-6. IF 2.39

27. Formisano L, Laudati G, Guida N, Mascolo L, Serani A, Cuomo O, Cantile M, Boscia F, Molinaro P, **Anzilotti S**, Pizzorusso V, Di Renzo G, Pignataro G, Annunziato L. HDAC4 and HDAC5 form a complex with DREAM that epigenetically downregulates NCX3 gene and its pharmacological inhibition reduces neuronal stroke damage. *J Cereb Blood Flow Metab.* 2019 Nov 7:271678X19884742 IF 6.20

28. Pignataro G, Brancaccio P, Laudati G, Valsecchi V, **Anzilotti S**, Casamassa A, Cuomo O, Vinciguerra A. Sodium/calcium exchanger as main effector of endogenous neuroprotection elicited by ischemic tolerance *Cell Calcium.* 2020 May;87:102183. IF 6.81

29. Cuomo O, Casamassa A, Brancaccio P, Laudati G, Valsecchi V, **Anzilotti S**, Vinciguerra A, Pignataro G, Annunziato L. Sumoylation of sodium/calcium exchanger in brain ischemia and ischemic preconditioning. *Cell Calcium.* 2020 May;87:102195. IF 6.81

30. Preconditioning in hypoxic-ischemic neonate mice triggers Na⁺-Ca²⁺ exchanger-dependent neurogenesis.

P Brancaccio, **S Anzilotti**, O Cuomo, A Vinciguerra, M Campanile, A Herchuelz, S Amoroso, L Annunziato, G Pignataro. Cell Death Discov. 2022 Jul 13;8(1):318. IF.7.1